

Restorative Solutions

KD KeystoneDentalGroup

**Premium
Prosthetics**



Product Catalog

Innovative Components. Advanced Solutions.

GENESIS

PRIMA

PALTOP

NEXUS^{IO}

MOLARIS

Premium Prosthetics



Multi-unit Abutment

	DESCRIPTION	CUFF	REF #
	Straight Abutment 0° MUA, RP Ø 3.5/3.8 mm	1.0 mm	40.408/1
	Straight Abutment 0° MUA, RP Ø 3.5/3.8 mm	2.0 mm	40.408/2
	Straight Abutment 0° MUA, RP Ø 3.5/3.8 mm	3.0 mm	40.408/3
	Straight Abutment 0° MUA, RP Ø 3.5/3.8 mm	4.0 mm	40.408/4
	Straight Abutment 0° MUA, RP Ø 3.5/3.8 mm	5.0 mm	40.408/5
	Angled Abutment 17° MUA, RP Ø 3.5/3.8 mm	3.0 mm	42.408/3
	Angled Abutment 17° MUA, RP Ø 3.5/3.8 mm	4.0 mm	42.408/4
	Angled Abutment 30° MUA, RP Ø 3.5/3.8 mm	3.0 mm	43.408/3
	Angled Abutment 30° MUA, RP Ø 3.5/3.8 mm	4.0 mm	43.408/4
	Angled Abutment 30° MUA, RP Ø 3.5/3.8 mm	5.0 mm	43.408/5

Multi-unit Abutment Prosthetic Components

	DESCRIPTION	REF #
	Scan Body, RP Intraoral	52.107
	Multi-unit Abutment Impression Post, RP, Open Tray	17.408
	Multi-unit Abutment Impression Post, RP, Closed Tray, 5H	17.107
	Multi-unit Abutment Impression Post, RP, Closed Tray, 8H	17.207
	Healing Abutment, MUA, RP	20.408/2
	Analog, MUA, RP	14.107
	Analog, RP, DIM with Screw, QUAD	14.007S/D
	Temporary Abutment, MUA, RP, Non-Engaging, 10H	24.408
	Temporary Abutment, MUA, RP, Non-Engaging, 15H	24.409
	Castable Abutment, MUA, RP, Plastic, Non-Engaging	28.408
	ANGLEBase®, RP Non-Engaging	36.107
	TiBase, RP Non-Engaging, Straight	15.453
	Screw DLC, MUA, Final, RP, QUAD Driver	19.223
	Screw DLC, MUA, Final, RP, 5-PK, QUAD Driver	19.223-P5
	Screw, Angled MUA, RP, DLC, QUAD	19.263
	ANGLEBase®, DLC Screw, RP, Torx	19.219
	Laboratory Handle Black	PHLABBLACK
	Driver, MUA	DTMURP
	ANGLEBase® Screwdriver 24mm	DT24TB06
	ANGLEBase® Screwdriver 30mm	DT30TB06



Multi-unit Abutment

	DESCRIPTION	CUFF	REF #
	Straight Abutment 0° MUA, RP Ø 4.1/4.5 mm	1.0 mm	40.409/1
	Straight Abutment 0° MUA, RP Ø 4.1/4.5 mm	2.0 mm	40.409/2
	Straight Abutment 0° MUA, RP Ø 4.1/4.5 mm	3.0 mm	40.409/3
	Straight Abutment 0° MUA, RP Ø 4.1/4.5 mm	4.0 mm	40.409/4
	Straight Abutment 0° MUA, RP Ø 4.1/4.5 mm	5.0 mm	40.409/5
	Angled Abutment 17° MUA, RP Ø 4.1/4.5 mm	3.0 mm	42.409/3
	Angled Abutment 17° MUA, RP Ø 4.1/4.5 mm	4.0 mm	42.409/4
	Angled Abutment 30° MUA, RP Ø 4.1/4.5 mm	3.0 mm	43.409/3
	Angled Abutment 30° MUA, RP Ø 4.1/4.5 mm	4.0 mm	43.409/4
	Angled Abutment 30° MUA, RP Ø 4.1/4.5 mm	5.0 mm	43.409/5

Multi-unit Abutment Prosthetic Components

	DESCRIPTION	REF #
	Scan Body, RP Intraoral	52.107
	Multi-unit Abutment Impression Post, RP, Open Tray	17.408
	Multi-unit Abutment Impression Post, RP, Closed Tray, 5H	17.107
	Multi-unit Abutment Impression Post, RP, Closed Tray, 8H	17.207
	Healing Abutment, MUA, RP	20.408/2
	Analog, MUA, RP	14.107
	Analog, RP, DIM with Screw, QUAD	14.007S/D
	Temporary Abutment, MUA, RP, Non-Engaging, 10H	24.408
	Temporary Abutment, MUA, RP, Non-Engaging, 15H	24.409
	Castable Abutment, MUA,RP, Plastic, Non-Engaging	28.408
	ANGLEBase®, RP Non-Engaging	36.107
	TiBase, RP Non-Engaging, Straight	15.453
	Screw DLC, MUA, Final, RP, QUAD Driver	19.223
	Screw DLC, MUA, Final, RP, 5-PK, QUAD Driver	19.223-P5
	Screw, Angled MUA, RP, DLC, QUAD	19.263
	ANGLEBase®, DLC Screw, RP, Torx	19.219
	Laboratory Handle Black	PHLABBLACK
	Driver, MUA	DTMURP
	ANGLEBase® Screwdriver 24mm	DT24TB06
	ANGLEBase® Screwdriver 30mm	DT30TB06


Premium Prosthetics

Ø 5.5/6.5 Components

Multi-unit Abutment


	DESCRIPTION	CUFF	REF #
	Straight Abutment 0° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	1.0 mm	40.410/1
	Straight Abutment 0° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	2.0 mm	40.410/2
	Straight Abutment 0° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	3.0 mm	40.410/3
	Straight Abutment 0° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	4.0 mm	40.410/4
	Straight Abutment 0° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	5.0 mm	40.410/5
	Angled Abutment 17° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	3.0 mm	42.410/3
	Angled Abutment 17° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	4.0 mm	42.410/4
	Angled Abutment 17° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	5.0 mm	42.410/5
	Angled Abutment 30° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	3.0 mm	43.410/3
	Angled Abutment 30° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	4.0 mm	43.410/4
	Angled Abutment 30° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	5.0 mm	43.410/5

Multi-unit Abutment Prosthetic Components

	DESCRIPTION	REF #
	Scan Body, RP Intraoral	52.107
	Multi-unit Abutment Impression Post, RP, Open Tray	17.408
	Multi-unit Abutment Impression Post, RP, Closed Tray, 5H	17.107
	Multi-unit Abutment Impression Post, RP, Closed Tray, 8H	17.207
	Healing Abutment, MUA, RP	20.408/2
	Analog, MUA, RP	14.107
	Analog, RP, DIM with Screw, QUAD	14.007S/D
	Temporary Abutment, MUA, RP, Non-Engaging, 10H	24.408
	Temporary Abutment, MUA, RP, Non-Engaging, 15H	24.409
	Castable Abutment, MUA,RP, Plastic, Non-Engaging	28.408
	ANGLEBase®, RP Non-Engaging	36.107
	TiBase, RP Non-Engaging, Straight	15.453
	Screw DLC, MUA, Final, RP, QUAD Driver	19.223
	Screw DLC, MUA, Final, RP, 5-PK, QUAD Driver	19.223-P5
	Screw, Angled MUA, RP, DLC, QUAD	19.263
	ANGLEBase®, DLC Screw, RP, Torx	19.219
	Laboratory Handle Black	PHLABBLACK
	Driver, MUA	DTMURP
	ANGLEBase® Screwdriver 24mm	DT24TB06
	ANGLEBase® Screwdriver 30mm	DT30TB06

DIGITAL

WORKFLOW



Premium Prosthetics

Digital Workflow Components

Scan Body



DESCRIPTION	REF #
Ø 3.5/3.8	52.408
Ø 4.1/4.5	52.409
Ø 5.0/5.5/6.0/6.5	52.410

Digital Analog



DESCRIPTION	REF #
Ø 3.5/3.8	
Ø 4.1/4.5	14.408
Ø 5.0/5.5/6.0/6.5	14.409
	14.410

TiBase and Components




DESCRIPTION	CUFF	REF #
Engaging, Ø3.5/3.8	1.0mm	16.408
Non-Engaging, Ø3.5/3.8	1.0mm	15.408
Engaging, Ø3.5/3.8	2.0mm	16.408/2
Non-Engaging, Ø3.5/3.8	2.0mm	15.408/2
Engaging, Ø3.5/3.8	3.0mm	16.408/3
Non-Engaging, Ø3.5/3.8	3.0mm	15.408/3
Engaging, Ø4.1/4.5	1.0mm	16.409
Non-Engaging, Ø4.1/4.5	1.0mm	15.409
Engaging, Ø4.1/4.5	2.0mm	16.409/2
Non-Engaging, Ø4.1/4.5	2.0mm	15.409/2
Engaging, Ø4.1/4.5	3.0mm	16.409/3
Non-Engaging, Ø4.1/4.5	3.0mm	15.409/3
Engaging, Ø5.0/5.5/6.0/6.5	1.0mm	16.410
Non-Engaging, Ø5.0/5.5/6.0/6.5	1.0mm	15.410
Engaging, Ø5.0/5.5/6.0/6.5	2.0mm	16.410/2
Non-Engaging, Ø5.0/5.5/6.0/6.5	2.0mm	15.410/2
Engaging, Ø5.0/5.5/6.0/6.5	3.0mm	16.410/3
Non-Engaging, Ø5.0/5.5/6.0/6.5	3.0mm	15.410/3



Titanium Blank, Premill, Ø3.5/3.8, 10mm H		60.408
Titanium Blank, Premill, Ø4.1/4.5, 10mm H		60.409
Titanium Blank, Premill, Ø5.0/5.5/6.0/6.5, 10mm H		60.410
Titanium Blank, Premill, Ø5.0/5.5/6.0/6.5, 14mm H		64.410
Screw, TiBase/Blank, DLC, QUAD		19.251
ANGLEBase® Engaging, Ø 3.5/3.8, 4.0 H	1.0mm	37.408
ANGLEBase® Engaging, Ø 4.1/4.5, 4.0 H	1.0mm	37.409
ANGLEBase® Engaging, Ø 5.0/5.5/6.0/6.5, 4.0 H	1.0mm	37.410
ANGLEBase® Non-Engaging, Ø 3.5/3.8, 4.0 H	1.0mm	36.408
ANGLEBase® Non-Engaging, Ø 4.1/4.5, 4.0 H	1.0mm	36.409
ANGLEBase® Non-Engaging, Ø 5.0/5.5/6.0/6.5, 4.0 H	1.0mm	36.410
ANGLEBase®, Screw, DLC, Torx Driver		19.203

DIGITAL



Premium Prosthetics

Milling Services Workflow Components

Digital Scan Body

	DESCRIPTION	REF #
	Mist IC Scan Body KEP 3.5	IM-SBKEP35
	Mist IC Scan Body KEP 4.1	IM-SBKEP41
	Mist IC Scan Body KEP 5.0	IM-SBKEP50

Digital Analog

	DESCRIPTION	REF #
	Mist IC 3D Analog 3.5	IM-3DKEP35
	Mist IC 3D Analog 4.1	IM-3DKEP41
	Mist IC 3D Analog 5.0	IM-3DKEP50

TiBase, Locking

	DESCRIPTION	REF #
	Mist IC L-Link Single KEP 3.5	IM-LLKEP35
	Mist IC L-Link Single KEP 4.1	IM-LLKEP41
	Mist IC L-Link Single KEP 5.0	IM-LLKEP50

TiBase, Non-Locking

	DESCRIPTION	REF #
	Mist IC L-Link Bridge KEP 3.5	IM-LLKEP35N
	Mist IC L-Link Bridge KEP 4.1	IM-LLKEP41N
	Mist IC L-Link Bridge KEP 5.0	IM-LLKEP50N

TiBase Angulated Screw Channel

	DESCRIPTION	REF #
	Mist IC S-Link KEP 3.5	IM-SLKEP35
	Mist IC S-Link KEP 4.1	IM-SLKEP41
	Mist IC S-Link KEP 5.0	IM-SLKEP50

Premium Prosthetics

Milling Services Workflow Components

Ti Blanks 10

	DESCRIPTION	REF #
	Mist IC PreFit10 KEP 3.5	IM-PF10KEP35
	Mist IC PreFit10 KEP 4.1	IM-PF10KEP41
	Mist IC PreFit10 KEP 5.0	IM-PF10KEP50


Ti Blanks 14

	DESCRIPTION	REF #
	Mist IC PreFit14 KEP 3.5	IM-PF14KEP35
	Mist IC PreFit14 KEP 4.1	IM-PF14KEP41
	Mist IC PreFit14 KEP 5.0	IM-PF14KEP50

Final Abutment Screw

	DESCRIPTION	REF #
	Mist IC Screw KEP, 5 Pack	IM-SCKEP
	Mist IC Angle Screw KEP, 5 Pack	IM-SCKEPUV

Angulated Abutment Driver

	DESCRIPTION	REF #
	Mist IC Angled Latch Driver, Regular, 13 mm	IM-ALDUVR
	Mist IC Angled Latch Driver, Long, 20 mm	IM-ALDUVL
	Mist IC Angled Square Driver, Regular, 13 mm	IM-ASDUVR
	Mist IC Angled Square Driver, Long, 20 mm	IM-ASDUVL

Quad Driver

	DESCRIPTION	REF #
	Swivel Head, Short, 19mm	15272K
	Swivel Head, Long, 26 mm	15273K
	Swivel Head, X-Long, 35mm	45293K
	Latch Type, Short, 23 mm	15274K
	Latch Type, Long, 28 mm	15275K
	Latch Type, X-Long, 35 mm	45294K
	Torque Wrench, Short, 16 mm	15276K
	Torque Wrench, Long, 22 mm	15277K

Premium Prosthetics



Global Headquarters

154 Middlesex Turnpike
Burlington, MA 01803, USA
Tel: +1 781-328-3490
Toll-free: 866-902-9272
www.KeystoneDental.com

Global KDG Offices:

USA

KeystoneDentalGroup Irvine
13645 Alton Pkwy
Irvine, CA 92618, USA

Israel

Paltop Advanced Dental Solutions, Ltd.
Hashita 5, Industrial Park P.O. Box 3568
Caesarea 3088900, Israel

Australia

Osteon Medical Headquarters
767 Springvale Road
Mulgrave VIC 3170, Australia

France

Osteon Medical Europe
11 A, Bat B, rue des Aulnes
Champagne au Mont d'or, 69410, France

Japan

Osteon Digital Japan
3-chōme-5-4 Nagayoshi Kawanabe
Hirano Ward, Osaka, 547-0014, Japan

Vertrieb / Distribution

Deutschland, Belgien,
Niederlande, Luxemburg,
Frankreich:

RUNDAS GmbH
Amalienstr. 62
46537 Dinslaken

Tel.: 02064 625 95 50
Fax: 02064 625 95 80

E-Mail: info@rundas.de
Internet: www.rundas.de